



Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

## Safety Data Sheet

Rev. Date: 12/03/2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### **AWARD Blue Tacky EP2**

Grease  
Heavy Duty Petroleum Lubricant  
Product Code: G990

Universal Lubricants, LLC  
2824 N Ohio Street  
Wichita, Kansas 67219  
Website: [www.universallubes.com](http://www.universallubes.com)  
1-800-444-6457 Telephone 1-316-832-3627 Product Information telephone  
1-800-424-9300 US, Canada, Puerto Rico, Virgin Isl.- Emergency  
telephone(CHEMTREC)  
+1-703-527-3887 International / Maritime Emergency telephone (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

#### **OSHA/HCS Status:**

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of this product.

**Physical Hazards:** Not classified

**Health Hazards:** Not Classified

**Environmental Hazards:** Not classified

**Signal Word:** No signal word

Performance. Protection. Proven.



Distributed by  
AFD Petroleum Ltd. Office: 780-438-5930  
1444 - 78 Avenue NW Fax: 780-438-5707  
Edmonton, AB info@afdpetroleum.com  
Canada T6P 1L7 afdpetroleum.com

**Hazard Statement:** No Known significant effects or critical hazards

**GHS Symbol:** *No Symbol*

### Precautionary Statements

**General:** Read label before use. Keep out of reach of children. If medical advice is needed, have product information at hand.

**Prevention:** Not applicable

**Response:** Not applicable

**Storage:** Not applicable

**Disposal:** Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms:** Heavy Duty Petroleum Lubricant, Grease

**Formula:** Mixture **Molecular Weight:** Variable

Component	CAS Number	Concentration
Base Lubricating Oils Mixture		80-90 %
Additive Package – Trade Secret		10-15 %
Lithium Soap Thickener – Trade Secret		1-5 %

Performance. Protection. Proven.

## 4. FIRST AID MEASURES

### **Eyes**

Immediately flush eyes with large amounts of fresh water and continue flushing until irritation subsides. Seek medical attention.

### **Inhalation**

If breathing difficulty exists, remove individual away from exposure and into fresh air. Seek medical attention.

### **Skin**

Remove contaminated clothing. Wash contaminated area repeatedly with soap and water. Do not reuse clothing until thoroughly cleaned and laundered. Seek medical attention for persistent irritation.

### **Ingestion**

Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### **Skin Injection**

If product is injected into or under skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

---

## 5. FIREFIGHTING MEASURES

### **Suitable extinguishing media**

Use dry chemical, foam, carbon dioxide (CO<sub>2</sub>) or water spray or water fog.

### **Specific hazards from combustion**

Carbon monoxide, carbon dioxide, aldehydes, hydrocarbons, oxides of sulfur, nitrogen, phosphorus and other oxides may be products of combustion.



Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

### **Special protective equipment for fire-fighters**

Wear full firefighting turn-out gear (full bunker gear), and respiratory protection (SCBA). Cool fire exposed containers with water spray and avoid spreading burning material with water used for cooling purposes.

### **NFPA Flammable and Combustible Liquids Classification**

Combustible Liquid Class IIIB

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions and Protective equipment**

Personal Protection, see section 8. Any individual not wearing protective equipment should not enter spill or contaminated area until all clean-up has been completed.

### **Emergency procedures**

For personal emergency procedures see section 4. For fire emergency procedures see section 5. Contain spilled oil liquid if possible without posing any risk or personal injury.

### **Environmental precautions**

Prevent spreading over a wide area. Contain spill immediately. Contact appropriate authorities of spill. Do not allow spill to enter sewer system, drains of any kind, surface water or water courses. Avoid flushing to such areas as well.

### **Methods and materials for containment and cleaning up**

Soak up or absorb with appropriate inert materials such as, sand, clay, silica gel, acid binder, universal binder, sawdust, paper fiber etc. Large spills may be picked up using vacuum pumps, shovels, buckets or other means of transfer and placed into drums or any other approved and suitable containers.

**Performance. Protection. Proven.**



Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

This product is not classified as a Hazardous Material under DOT regulations. See NFPA 30 and OSHA 1910.106 flammable and combustible liquids.

### **Conditions for safe storage**

Store in only approved and marked containers. Store in a cool, dry ventilated area. Keep containers closed when not in use and during transportation. Keep containers away from flame or other ignition sources.

### **Incompatibilities**

May react strong with oxidizing agents, such as hydrogen peroxide, bromine, and chromic acid.

---

## 9. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **OSHA Final: (PEL)**

Contains no substances with occupational exposure limit values.

### **American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV)**

5.00 mg/m<sup>3</sup> suggested for oil mist.

### **Respiratory protection**

If vapor mist is generated when the material is heated or handled, use an organic vapor respirator with a dust and mist filter. All respirators must be NIOSH certified. Fit testing may be required before use. Do not use compressed oxygen in hydrocarbon atmospheres. Adequate ventilation in accordance with good engineering practices must be provided to maintain concentrations below the specified exposure or flammable limits.

### **Hand protection**

For prolonged or repeated exposures hand protection is required. Wear resistant gloves suitable for the product, contact your safety department or supplier to determine the proper hand protection. If handling hot material, use proper insulated gloves.

**Performance. Protection. Proven.**

### **Eye protection**

Not required under normal conditions of use. If material is handled such that it could be splashed or misted into eyes, wear plastic face shield or splash resistant safety goggles or glasses with side shields.

### **Skin and body protection**

For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, bibs, etc.) over parts of the body subject to exposure. If handling hot material, use insulated protective clothing. Launder soiled clothes, do not reuse contaminated clothing. Properly dispose of contaminated clothing or articles that cannot be laundered such as leather gloves, boots, etc. If skin irritation develops, contact your facility safety department or safety supplier to determine the proper protective equipment for your use.

### **Hygiene measures**

Do not use contaminated clothing, launder clothing before reuse. Wash contaminated areas of the body which may have been exposed with soap and water.

Wash thoroughly before handling food and beverages. Food and beverage consumption should be avoided in work areas where hydrocarbons are present.

---

## **10. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Blue, smooth

**Physical state:** Grease

**Odor:** Mineral oil

**Specific gravity (H<sub>2</sub>O=1):** 0.9300

**Melting point/freezing point:** No data available

**Initial boiling point and boiling range:** No data available

**Flash point (C.O.C):** 204°C, (400°F)

**Upper/lower flammability or explosive limits:** No data available

**Vapor pressure:** Not determined



Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

**Solubility in water:** Negligible @25<sup>o</sup>C

**Percent volatile:** No data available

**Vapor density (air=1):** No data available

**Evaporation rate:** Not determined

---

## 11. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical stability:** Stable under normal temperatures and pressures.

**Possibility of hazardous reactions:** Product will not undergo hazardous polymerization.

**Conditions to avoid:** Heat, open flames, oxidizing materials and mist.

**Incompatible materials:** Strong oxidizing agents, acids, halogens.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide and other oxides may be generated as products of combustion.

---

## 12. TOXICOLOGICAL INFORMATION

**Acute oral toxicity:** No data available

**Acute inhalation toxicity:** No data available

## 13. ECOLOGICAL INFORMATION

**Biodegradability:** No data available

**Bioaccumulation:** No data available

Performance. Protection. Proven.



Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Toxicity to bacteria:** No data available

**Mobility in soil:** Spillages are unlikely to penetrate the soil under normal conditions.

---

## 14. DISPOSAL CONSIDERATIONS

### Waste Disposal methods

All disposals must comply with federal, state and local regulations. Spilled or discarded material may be a regulated waste. Refer to state and local regulations. If other material was used during cleanup efforts the resultant mixture may be regulated. Department of Transportation regulations may apply for transporting of this material. Contact Universal Lubricants regarding proper recycling and disposal methods.

---

## 15. TRANSPORT INFORMATION

**UN number:** Not dangerous/hazardous goods

**UN proper shipping name:** Not dangerous/hazardous goods

**Transport hazard class:** Not dangerous/hazardous goods

**Packing group:** Not dangerous/hazardous goods

**Environmental hazards:** Not dangerous/hazardous goods

**U.S. DOT Road/Rail/Waterways:** Not dangerous/hazardous goods

**Transport Canada Road/Rail/Waterways:** Not dangerous/hazardous goods

---

Performance. Protection. Proven.





Distributed by

AFD Petroleum Ltd.  
1444 - 78 Avenue NW  
Edmonton, AB  
Canada T6P 1L7

Office: 780-438-5930  
Fax: 780-438-5707  
info@afdpetroleum.com  
afdpetroleum.com

**International Maritime Dangerous Goods:** Not dangerous/hazardous goods

## 16. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

### Federal Regulatory Status

#### Notification Status

**EINECS** All components listed

**DSL** All components listed

**TSCA** All components listed

#### SARA Hazard Categories (311/312)

No SARA 311/312 hazards

### State Regulatory Status

#### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

This material does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### NFPA Hazard Classification

Health: 1  
Flammability: 1  
Reactivity: 0

#### HMIS Classification

Health: 0  
Flammability: 1  
Physical Hazards: 0  
Personal Protection: B

Performance. Protection. Proven.



<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>B</b>

**17. OTHER INFORMATION**

The information accumulated herein is believed to be accurate. However, neither Universal Lubricants, LLC nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information provided herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.